

Cliente  
M.C. MONARBARIO S.R.L.  
VIA GUGLIELMINETTI 14  
10136 TORINO IT

Destinatario Merci  
M.C. MONARBARIO S.R.L.  
VIA GUGLIELMINETTI 14  
10136 TORINO IT

N° Consegna	8261854669	Controllo Qualità	Pagine 1/1
Del	09/09/2022	RESP. A.Venturini	
N° doc. di trasp.	1001021522	Stab. Gazoldo	

N° Partita	Q.tà	Colata	C (%)	Mn (%)	Si (%)	S (%)	P (%)	Al (%)	N (%)	Cu (%)	CEV (%)	Re [N/mm <sup>2</sup> ]	Rm [N/mm <sup>2</sup> ]	A (%)
			0.19	1.4		0.035	0.035		0.012	0.55	0.35	235	360	24
												510		

**51001058 LDE 3.00x 1500x 3000 S235JR+AR EN10025-2 1191529816/10 083-22 DL025 Data 30/08/2022**

22NR047817	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047818	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047819	1 PAC	291051	.140	.777	.023	.0047	.0150	.039	.0048	.024	.281	300	387	25.5
22NR047820	1 PAC	291051	.140	.777	.023	.0047	.0150	.039	.0048	.024	.281	300	387	25.5
22NR047821	1 PAC	291051	.140	.777	.023	.0047	.0150	.039	.0048	.024	.281	300	387	25.5
22NR047860	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047862	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047863	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047864	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047865	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047866	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6
22NR047867	1 PAC	211241	.140	.782	.029	.0043	.0217	.036	.0044	.023	.283	284	379	26.6

Note:

- Certificiamo che i prodotti sopra elencati sono conformi alle prescrizioni dell'ordine
- Documento validato in conformità ad EN10204 par. 5
- Durabilità: NPD
- Sostanze Pericolose: NPD
- Per impieghi strutturali, costruzioni e ingegneria civile
- DoP disponibili su <http://www.marcegaglia.com/brochure/e/quality/dop.html>